



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/971,720	10/04/2001	David Ian Houlding	92717-315	3044

7590 07/13/2006

Gary B. Solomon
Jenkins & Gilchrist, P.C.
3200 Fountain Place
1445 Ross Avenue
Dallas, TX 75202-2799

EXAMINER

FOWLKES, ANDRE R

ART UNIT	PAPER NUMBER
----------	--------------

2192

DATE MAILED: 07/13/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)	
	09/971,720	HOULDING, DAVID IAN	
	Examiner	Art Unit	
	Andre R. Fowlkes	2192	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 07 April 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-5, 7, 8, 11, 13-15, 21, 22, 24-26, 32, 34, 41 and 45-47 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-5, 7-8, 11, 13-15, 21-22, 24-26, 32, 34, 41 & 45-47 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 4/7/06 has been entered.

2. Claims 1-5, 7-8, 11, 13-15, 21-22, 24-26, 32, 34, 41 & 45-47 are pending. Claims 1-2, 21, 25-26, 32 and 41 have been amended. Claims 9, 12 and 17 have been canceled.

Specification

3. The objection to the disclosure is withdrawn, in view of applicant's amendment.

Claim Objections

4. The objection the amendment under 35 U.S.C. 132 and 37 CFR 1.121 is withdrawn, in view of applicant's amendment.

Claim Rejections - 35 USC § 103

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Art Unit: 2192

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. Claims 1-5, 7-8, 11, 13-15, 21-22, 24-26, 32, 34, 41 & 45-47 are rejected under 35 U.S.C. 103(a) as being unpatentable over Beatty et al. (Beatty), U.S. Patent No. 5,913,052 in view of Weinberg et al. (Weinberg) U.S. Patent No. 6,144,962.

As per claim 1, Beatty discloses a system and method for debugging software with an architectural view **within a network** (col. 5:12-19, "It should be noted that any conventional computer system having at least one processor that is suitable to function as a general purpose computer may replace, or be used in conjunction with, the computer 100, including, without limitation: hand-held, laptop/notebook, mini, mainframe and supercomputers, including RISC and parallel processing architectures, as well as within computer system/network combinations."), and in that, Beatty covers the steps of:

- **accessing a datafile descriptive of the underlying architecture** (col. 6 lines 20-23, "the memory stores (a datafile containing) a plurality of user-selectable architectures corresponding to a plurality of (underlying architectures)"),

- **transforming the datafile to determine architectural components used to form the underlying architecture and rendering, via a visualizer, a plurality of graphical elements representative of the architectural components** (col. 6 lines 23-26, "(The datafile is transformed and then) the display coupled to the memory (i.e. the visualizer), displays (the architectural components of the underlying architecture)"),

- **the graphical elements forming a graphical representation of the underlying architecture** (col. 6 lines 24-25, “a window on the display (includes a graphical representation of the underlying) architecture including a graphical device layout”),

- **the graphical representation dependant on a particular mode of a plurality of modes of operation of the visualizer** (Beatty describes how the graphical representation is dependent on a particular mode of a plurality of modes of operation at, col. 3:28-3:43, “In an alternative embodiment of the present invention, the system further comprises source software display circuitry that displays a source code representation of the DSP software in a further window on the display ... In an alternative embodiment of the present invention, the system further comprises object software display circuitry that displays an object code representation of the DSP software in a further window on the display”),

- **providing at least one control on the webpage and receiving a selection of the at least one control** (col. 6 lines 26-30, “The processor, coupled to the display (i.e. the webpage) (provides controls to) simulate operation of the ... software and emulated operation of the (underlying architecture) ... to cause the (underlying architecture) to change states”),

- **performing a graphical operation on the webpage for dynamic visualization of the graphical elements indicative of the underlying architecture** (col. 6 lines 30-31, “The processor controls the display to update the (graphical display of the underlying architecture in ways indicative of its dynamic functional operations)”).

- wherein the dynamic visualization provides a graphical representation of collaborative interactions between the architectural components of the underlying architecture of the software system (col. 2 lines 39-49, "When the DSP is emulated, the system includes: (1) architectural display circuitry that displays an architecture of a particular DSP in a window on a display of the general purpose computer, the architecture including a graphical device layout (i.e. an architectural component that interacts with the register of the DSP) and at least one field corresponding to a register of the DSP (i.e. an architectural component) and (2) software simulation circuitry that employs a processor of the general purpose computer to simulate operation of DSP software (i.e. an architectural component) and emulate operation of the particular DSP to cause the particular DSP (i.e. an architectural component) to change states over time (through collaborative interaction), the architectural display circuitry updating the at least one field to reflect changes in the states"),

- communicating the rendered graphical representation across the network (col. 5 lines 12-20, "It should be noted that (this invention may communicate the representation across)... computer system/network combinations"),

- and wherein the visualizer is utilized for visualizing using the webpage the underlying architecture of the software system during conceptual development and deployment phases of the software system (col. 3:21-23, "Additionally, the present invention allows one or more of the user-selectable architectures correspond to DSPs that do not even exist (i.e. during conceptual development)", and col. 3:6-16, "the

system of the present invention may include an interface between a processor of the general purpose computer and a real (non-emulated) DSP. In this alternative embodiment, the general purpose computer causes the DSP software to execute within the real DSP (i.e. deployment phase”),

Beatty doesn't explicitly disclose **displaying, on a web page**, the graphical representation of the underlying architecture of the software system.

However, Weinberg, in an analogous environment, discloses **displaying, on a web page**, the graphical representation of the underlying architecture of the software system (Fig. 11, and associated text (e.g. col. 23 line 39 – col. 24 line 25), show that the graphical display is a web page).

Therefore, it would have been obvious to a person of ordinary skill in the art, at the time the invention was made, to incorporate the teachings of Weinberg into the system of Beatty to **display, on a web page**, the graphical representation of the underlying architecture of the software system. The modification would have been obvious because one of ordinary skill in the art would have wanted a convenient, universal way to display the graphical information to the user (Beatty, col. 2 lines 27-30).

As per claim 2, the rejection of claim 1 is incorporated and further, Beatty discloses **generating a plurality of subsections of a graphical image** (Fig. 4, item 430 and the associated text, (e.g. col. 7 line 11 - col. 8 line 11), describe vertical subsections of the graphical image), **and locating the graphical elements in the**

subsections as described by the datafile (col. 2 lines 42-43, "the architecture including a graphical device layout (containing the graphical elements in subsections)").

As per claim 3, the rejection of claim 1 is incorporated and further, Beatty discloses that **the subsections are displayed as tiers** (Fig. 4, item 430 and the associated text, (e.g. col. 7 line 11 - col. 8 line 11), describe the subsections of the system displayed as vertical tiers).

As per claim 4, the rejection of claim 1 is incorporated and further, Beatty discloses **providing access to the visualization on a network** (col. 5 lines 12-20, "It should be noted that (this invention may be used with)... computer system/network combinations").

As per claim 5, the rejection of claim 4 is incorporated and further, Beatty discloses that **the network is the Internet** (col. 5 lines 12-20, "It should be noted that (this invention may be used with)... computer system/network combinations (i.e. the Internet)").

As per claim 7, the rejection of claim 1 is incorporated and further, Beatty discloses **receiving data for said rendering from a network connection** (col. 5 lines 12-20, "It should be noted that (this invention may receive data for rendering from)... computer system/network combinations").

As per claim 8, the rejection of claim 7 is incorporated and further, Beatty discloses **storing the data** (Fig. 1, item 180, and the associated text (e.g. col. 4 line 41 - col. 2 line 34), show a memory used to store data).

As per claim 11, the rejection of claim 1 is incorporated and further, Beatty doesn't explicitly disclose that **the datafile includes extensible markup language (XML)**.

However, Weinberg, in an analogous environment, discloses that **the datafile includes extensible markup language (XML)** (col. 2 lines 10-13, "the program includes Web site scanning routines ... to gather information about ... HTML (and XML) documents and links of a Web site").

Therefore, it would have been obvious to a person of ordinary skill in the art, at the time the invention was made, to incorporate the teachings of Weinberg into the system of Beatty to have the datafile include extensible markup language. The modification would have been obvious because one of ordinary skill in the art would have wanted the system to understand XML, to be able to collect as much information as possible from the data file, to analyze the software to the fullest extent, in order to enable the maximum optimization of the software and underlying architecture (Beatty, col. 2 lines 27-30).

As per claim 13, the rejection of claim 1 is incorporated and further, Beatty discloses **altering the graphical elements based on a selected configuration of the software system** (col. 6 lines 18-25, “the memory stores a plurality of ... (different graphical elements/systems representative of underlying architecture components and systems) corresponding to (a plurality of software system configurations)”, and the graphical elements displayed are altered when a user chooses a different configuration).

As per claim 14, the rejection of claim 1 is incorporated and further, Beatty discloses **receiving an event initiated by an operation performed in a second graphical display operating in isolation of actual components of the underlying architecture** (Fig. 4, items 460, 470, and 450 show additional graphical displays used to initiate events, and col. 6 lines 26-33, “The processor, couples to the display, simulates operation of the ... software and emulates operation of the particular (underlying architecture) ... to cause the particular (underlying architecture) to change states”), and **performing an operation on the graphical display based on the event** (col. 6 lines 30-33, “The processor controls the display to update the (representation of the underlying architecture)”).

As per claim 15, the rejection of claim 1 is incorporated and further, Beatty discloses **receiving an event initiated by an operation performed in a second graphical display operating in conjunction with actual components of the**

Art Unit: 2192

underlying architecture (Fig. 4, items 460, 470, and 450 show additional graphical displays used to initiate events, and col. 6 lines 34-43, "the system of the present invention may include an interface and a real (underlying architecture) ... associated with the computer. In this alternative, the processor causes the ... software to execute within the real (underlying architecture) ... to change states.)"), and **performing an operation on the graphical display based on the event** (col. 6 lines 39-43, "The processor controls the display to update the (graphical representation of the underlying architecture)").

As per claims 21, 22 and 24-26, Beatty/Weinberg also discloses such claimed limitations as addressed in claims 9, 14, 15 and 11 above, respectively.

As per claim 32 and 34, these are a product version of the claimed method discussed above in claims 1 and 5, wherein all claimed limitations have also been addressed above and such a product is deemed to be inherent in the Beatty/Weinberg system and method for debugging software, otherwise it would be inoperative.

As per claim 41, Beatty discloses an **application service provider (ASP) system for visualizing an architecture of another distinct system** (col. 3:14-19, "In an alternative embodiment of the present invention, the system (i.e. ASP) further comprises an architecture database, storable on a storage device of the general purpose computer, that contains a plurality of user-selectable architectures

corresponding to a plurality of DSPs (i.e. another distinct software system), the system thereby allowing the user to select the particular DSP (to visualize) from the database”),

- the ASP system comprising:

- a datafile including a description of the architecture (col. 6 lines 20-23, “the memory stores (a datafile containing) a plurality of user-selectable architectures corresponding to a plurality of (underlying architectures)”),

- a host computing system for transforming the datafile, a visualizer for receiving the transformed datafile and visualizing the architecture (col. 6 lines 23-26, “(The datafile is transformed by the host system and then) the display coupled to the memory (i.e. the visualizer), displays (i.e. visualizes the architecture)”),

- the visualizer operating in one of a plurality of modes of operation (Beatty describes how the graphical representation is dependent on a particular mode of a plurality of modes of operation at, col. 3:28-3:43, “In an alternative embodiment of the present invention, the system further comprises source software display circuitry that displays a source code representation of the DSP software in a further window on the display ... In an alternative embodiment of the present invention, the system further comprises object software display circuitry that displays an object code representation of the DSP software in a further window on the display”),

- a visual display for receiving and displaying the visualized architecture of said another distinct system (col. 6 lines 24-26, “the (visual) display coupled to the memory (i.e. the visualizer), (receives and) displays (the visualized architecture)”, and col. 3:6-16, “the system of the present invention may include an interface between a

Art Unit: 2192

processor of the general purpose computer and a real (non-emulated) DSP. In this alternative embodiment, the general purpose computer causes the DSP software to execute within the real DSP (i.e. direct interaction simulation mode), in turn causing the real DSP to change states over time. The general purpose computer monitors the states allowing the architectural display circuitry to update at least one field to reflect changes in the states", and col. 3:21-23, "Additionally, the present invention allows one or more of the user-selectable architectures correspond to DSP (software systems) that do not even exist (i.e. a distinct system)".

- wherein the visualizer is utilized for visualizing the architecture of the system during conceptual development and deployment phases of the system

(col. 3:21-23, "Additionally, the present invention allows one or more of the user-selectable architectures correspond to DSPs that do not even exist (i.e. during conceptual development)", and col. 3:6-16, "the system of the present invention may include an interface between a processor of the general purpose computer and a real (non-emulated) DSP. In this alternative embodiment, the general purpose computer causes the DSP software to execute within the real DSP (i.e. deployment phase)"),

- wherein the visual display includes at least one control (col. 6 lines 26-30, "The processor, coupled to the display (i.e. the webpage) (provides controls to) simulate operation of the ... software and emulated operation of the (underlying architecture) ... to cause the (underlying architecture) to change states"),

- wherein the at least one control is adapted to perform a graphical operation on the webpage for dynamic visualization of architectural components

Art Unit: 2192

indicative of an underlying architecture of the software system (col. 6 lines 26-31, “The processor, coupled to the display (i.e. the webpage) (provides controls to) simulate operation of the ... software and emulated operation of the (underlying architecture) ... to cause the (underlying architecture) to change states. The processor controls the display to update the (graphical display of the underlying architecture in ways indicative of its dynamic functional operations)”),

Beatty doesn't explicitly disclose that **the visual display is a webpage on the Internet**.

However, Weinberg, in an analogous environment, discloses that **the visual display is a webpage on the Internet** (Fig. 11, and associated text (e.g. col. 23 line 39 – col. 24 line 25), show that the graphical display is a web page on the Internet).

Therefore, it would have been obvious to a person of ordinary skill in the art, at the time the invention was made, to incorporate the teachings of Weinberg into the system of Beatty so that **the visual display is a webpage on the Internet**. The modification would have been obvious because one of ordinary skill in the art would have wanted a convenient, universal way to display the graphical information to the user (Beatty, col. 2 lines 27-30).

As per claim 45, the rejection of claim 1 is incorporated and further, Beatty discloses that **the step of visualizing during the conceptual phase of the system is performed by the visualizer operating in a direct simulation mode before the**

underlying architecture has been implemented in the development and deployment phases (col. 3:6-16, "the system of the present invention may include an interface between a processor of the general purpose computer and a real (non-emulated) DSP. In this alternative embodiment, the general purpose computer causes the DSP software to execute within the real DSP (i.e. direct interaction simulation mode), in turn causing the real DSP to change states over time. The general purpose computer monitors the states allowing the architectural display circuitry to update at least one field to reflect changes in the states", and col. 3:21-23, "Additionally, the present invention allows one or more of the user-selectable architectures correspond to DSPs that do not even exist (i.e. during the conceptual phase)").

As per claim 46, the rejection of claim 1 is incorporated and further, Beatty discloses that **the step of visualizing during the development phases of the system is performed by the visualizer operating in a prototype simulation mode** (col. 3:21-23, "Additionally, the present invention allows one or more of the user-selectable architectures correspond to DSPs that do not even exist (i.e. prototype simulation mode)").

As per claim 47, the rejection of claim 1 is incorporated and further, Beatty discloses that **the step of visualizing during the deployment phase of the system is performed by the visualizer operating in an architecture driven monitor mode**(col. 3:60-65, "In an alternative embodiment of the present invention, the architectural display

circuitry (i.e. visualizer) allows the user to specify a level of detail regarding the graphical device layout to be displayed in the window (during the architecture monitor mode). The level of detail may be had by zooming in or out or may be had by displaying more or less DSP architecture detail, depending upon the user's wishes").

Response to Arguments

7. Applicants arguments have been considered but they are not persuasive.

In the remarks, the applicant has argued substantially that:

1) The combination of Beatty and Weinberg does not disclose performing a graphical operation on a webpage for dynamic visualization of graphical elements indicative of an underlying architecture of a software system or performing the graphical operation using at least one control, at p. 7:19-22, 8:17-22, 9:1-20, 10:1-19.

Examiner's response:

1) The examiner disagrees with applicant's characterization of the applied art. The Beatty/Weinberg combination does disclose performing a graphical operation on a webpage for dynamic visualization of graphical elements indicative of an underlying architecture of a software system and performing the graphical operation using at least one control. The Beatty system is cited to disclose a visualizer for displaying and using controls to perform actions on the underlying architecture of the software system, at col. 2 lines 39-49 and 3:14-19, as addressed in the art rejection, above. The Weinberg

Art Unit: 2192

system is cited to disclose using a web page to control and display information to a user, at col. 23 line 39 - col. 24 line 25.

In the remarks, the applicant has argued substantially that:

2) The combination of Beatty and Weinberg does not disclose that the dynamic visualization provides a graphical representation of collaborative interactions between architectural components of the underlying architecture of the software system, at p. 7:22-25, 8:17-22, 9:5-20, 10:5-22.

Examiner's response:

2) The examiner disagrees with applicant's characterization of the applied art. Beatty discloses a graphical representation of collaborative interactions between architectural components of the underlying architecture of the software system, at col. 2 lines 39-49 and col. 3:14-19, and as addressed in the art rejection of claim 1, above.

In the remarks, the applicant has argued substantially that:

3) The combination of Beatty and Weinberg does not disclose receiving and displaying a visualized architecture of another distinct system, at p. 10:25-26.

Examiner's response:

3) The examiner disagrees with applicant's characterization of the applied art. The Beatty system displays the architecture of another distinct system as disclosed at 3:14-19 and 3:21-23, as addressed in claim 41.


Conclusion

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Andre R. Fowlkes whose telephone number is (571) 272-3697. The examiner can normally be reached on Monday - Friday, 8:00am-4:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tuan Q. Dam can be reached on (571)272-3695. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

ARF


TUAN DAM
SUPERVISORY PATENT EXAMINER